

## Fine-L-Kote Conformal Coating Thinner

### Product# 2105

#### Product Description

Techspray® coatings can be thinned to meet production requirements using Conformal Coating Thinner.

#### Features / Benefits

- Thins most types of conformal coating
- Adjust viscosity for spray systems
- Non-ozone depleting

#### Packaging and Availability

**2105-G** 1 Gallon Liquid

#### Environmental Policy


Techspray® is committed to developing products to ensure a safer and cleaner environment. We will continue to meet and sustain the regulations of all federal, state and local government agencies.

#### Resources

Techspray® products are supported by global sales, technical and customer services resources.

For additional technical information on this product or other Techspray® products in the United States, call the technical sales department at 800-858-4043, email [tsales@techspray.com](mailto:tsales@techspray.com) or visit our web site at: [www.techspray.com](http://www.techspray.com).

Important Notice to Purchaser/User: The information in this publication is based on tests that we believe are reliable. The results may vary due to differences in tests type and conditions. We recommend that each user evaluate the product to determine its suitability for the intended application. Conditions of use are outside our control and vary widely. Techspray's only obligation and your only solution is replacement of product that is shown to be defective when you receive it. In no case will Techspray® be liable for any special, incidental, or consequential damages based on breach of warranty, negligence or any other theory.



#### Typical Product Data and Physical Properties

<b>Physical State:</b>	Liquid
<b>Odor:</b>	Sweet ester odor
<b>Color:</b>	Colorless
<b>Percent Volatile:</b>	100
<b>Vapor pressure:</b>	25mmHg at 20°C
<b>Vapor Density:</b>	3.5 (Air=1)
<b>Boiling Point:</b>	102°C
<b>Flashpoint and method:</b>	58°F (TAG CC)
<b>Solubility in water</b>	<1
<b>Density:</b>	0.888
<b>VOC:</b>	887 g/L
<b>Shelf life:</b>	5 years unopened; 2 years open